L Number	Hits	Search Text	DB	Time stamp
4	92842	((709/(203-204,217,219,223,246).ccls.) or	USPAT;	2004/08/22 14:45
-	J2042	(707/(3,10).ccls.)) and @ad<20010412	US-PGPUB;	, .
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/00 74 46
5	7		USPAT;	2004/08/22 14:46
		(707/(3,10).ccls.)) and @ad<20010412) and ((multiple or plurality or number or many or	US-PGPUB; EPO; JPO;	
		different) adj3 (portal adj server)) and	DERWENT;	
		allierent/ adjs (portar adj server// and @ad<20010412	IBM TDB	
_	2	20020046254.did.	USPAT;	2004/08/17 10:31
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(IBM_TDB	2004/00/17 10 25
70	2	("6510468").PN.	USPAT; US-PGPUB;	2004/08/17 10:35
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	customiz\$3 adj3 (content or document\$1! or	USPAT;	2004/08/17 10:40
	_	page\$1!) same (drag-drop or (drag with	US-PGPUB;	
		drop))	EPO; JPO;	
			DERWENT;	
	_	(in Engle on internal or maken) 421 - 342	IBM_TDB	2004/08/17 11:01
-	8	(prefer\$5 or interest or customiz\$3) adj3 (content or document\$1! or page\$1!) same	USPAT; US-PGPUB;	2004/00/1/ 11:01
		(drag-drop or (drag with drop))	EPO; JPO;	
		(drag drop or (drag wrom drop))	DERWENT;	
			IBM TDB	
-	98	identify\$3 adj5 (information or data or	USPAT;	2004/08/17 11:02
		document) adj4 (select\$3 or highlight\$5 or	US-PGPUB;	
		mark\$3) adj4 user	EPO; JPO;	
			DERWENT;	
	ΕO	 (identify\$3 adj5 (information or data or	IBM_TDB USPAT;	2004/08/17 12:51
-	59	document) adj4 (select\$3 or highlight\$5 or	US-PGPUB;	2004/00/1/ 12.51
		mark\$3) adj4 user) and @ad<20010412	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	7688	habitat and @ad<20010412	USPAT;	2004/08/17 12:53
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
i _	1	habitat same (customiz\$5) adj3 (content or	USPAT;	2004/08/17 12:55
	_	document or information or page) and	US-PGPUB;	
		@ad<20010412	EPO; JPO;	
			DERWENT;	
	_	habitat and (sustamists) adia (sontant on	IBM_TDB USPAT;	2004/08/17 13:07
-	6	habitat and (customiz\$5) adj3 (content or document or information or page) and	US-PGPUB;	2004/00/1/ 13:0/
		@ad<20010412	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	240		USPAT;	2004/08/17 13:08
		document or information or page) and	US-PGPUB;	
		@ad<20010412	EPO; JPO;	
			DERWENT; IBM TDB	
	447	portal and (customiz\$5 or preference or	USPAT;	2004/08/17 13:08
_	44/	interest) adj3 (content or document or	US-PGPUB;	
		information or page) and @ad<20010412	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	90		USPAT;	2004/08/17 13:56
		interest) adj3 (content or document or	US-PGPUB; EPO; JPO;	
		information or page) and @ad<20010412	DERWENT;	
			IBM TDB	
L	L			

•	1	(customiz\$5 or preference or interest) adj3 (habitat) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO;	2004/08/17 14:13
			DERWENT; IBM_TDB	44
-	77	(mark\$3 or highlight\$5) and (portal same (customiz\$5 or preference or interest) adj3 (content or document or information or page) and @ad<20010412)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 15:45
-	145	customiz\$3 same drag\$4 with drop and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/17 16:12
-	0	select\$3 adj (URL or source) adj5 dropP\$4 adj3 window and @ad<20010412	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 16:13
-	0	select\$3 adj (URL or source) adj5 (add\$3or dropP\$4) adj3 (screen or window) and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 16:14
-	0	select\$3 adj (URL or source) with (add\$3or dropP\$4) adj3 (screen or window) and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 16:14
_	3	select\$3 adj (URL or source) with (add\$3or dropP\$4) with (screen or window) and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 16:55
_	85	source with content with customiz\$5 and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/17 17:20
-	10073	retriev\$3 adj3 (information or data or content or document) with (highlight\$5 or select\$3 or mark\$3) and @ad<20010412	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 17:22
-	1441	retriev\$3 adj3 (information or data or content or document) with (highlight\$5 or select\$3 or mark\$3) near4 user and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 17:22
_	71	retriev\$3 adj3 (information or data or content or document) with (highlight\$5 or mark\$3) near4 user and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 18:26
-	2	habitat with marker and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 18:27
_	354	(proxy or portal or server or gateway or habitat) with marker and @ad<20010412	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/17 18:28
-	1	(proxy or portal or server or gateway or habitat) with marker same (customiz\$5 or personaliz\$5) and @ad<20010412	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/17 18:29
	:		IBM_TDB	

			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
_	32	(creat\$3 or generat\$3 or construct\$3) adj3 (tag or marker) with ((client or user) near3 select\$4) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/18 12:59
-	54	(window or display or screen) near3 shar\$3 with (mulitple or plurality or number or	IBM_TDB USPAT; US-PGPUB;	2004/08/18 13:57
		different or many) adj3 (users or clients or participants or subscribers) and	EPO; JPO; DERWENT;	
_	5	@ad<20010412 (window or display or screen) near3 shar\$3 with (mulitple or plurality or number or different or many) adj3 (users or clients or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/18 13:26
		participants or subscribers) and @ad<20010412 and (proxy or router or gatewary or hub or (intermediate adj (node or device or server)))	DERWENT; IBM_TDB	
_	2	("5008853").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/18 13:26
-	77	(window or display or screen) near3 shar\$3 with (mulitple or plurality or number or	IBM_TDB USPAT; US-PGPUB;	2004/08/18 13:33
		different or many) adj3 (users or clients or participants or subscribers)	DERWENT; IBM TDB	
-	135	(display\$3 adj4 (information or document or data or page or content) adj4 (screen or window or monitor) adj5 (habitat or router or server or proxy or gateway or hub))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/18 14:00
-	51	(display\$3 adj4 (information or document or data or page or content) adj4 (screen or window or monitor) adj5 (habitat or router or server or proxy or gateway or hub)) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/18 15:19
-	0	@ad<20010412 ((primary or first or original or main) adj (habitat or hub or proxy or gateway)) adj4 (access\$3 or retriev\$3) adj6 (second or other or another or secondary) adj (habitat	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/18 15:51
_	28	or hub or proxy or gateway) ((primary or first or original or main) adj (habitat or hub or proxy or gateway)) with (access\$3 or retriev\$3) adj6 (second or other or another or secondary) adj (habitat	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/18 15:23
-	17	or hub or proxy or gateway) (((primary or first or original or main) adj (habitat or hub or proxy or gateway)) with (access\$3 or retriev\$3) adj6 (second or other or another or secondary) adj (habitat or hub or proxy or gateway)) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/18 15:24
-	28	@ad<20010412 ((primary or first or original or main) adj (habitat or hub or proxy or gateway)) with (access\$3 or retriev\$3) adj6 (second or other or another or secondary) adj (habitat	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/18 15:54
-	2026	or hub or proxy or gateway) ((primary or first or original or main) adj (habitat or hub or proxy or gateway)) with (second or other or another or secondary) adj (habitat or hub or proxy or gateway)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/18 15:55
-	18591	(first adj (portal adj server) or ISP)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/08/18 16:27
			DERWENT; IBM_TDB	

_	53	(first adj ((portal adj server) or ISP)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO;	2004/08/18 17:41
-	8	(first adj (proxy or gateway or hub or (gate adj way)) or portal)) adj5 (access\$3 or request\$3 or retriev\$3) adj5 (second or other or another or secondary or multiple or different or variety or many or number) adj3 (habitat or portal or ((proxy or gateway or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 17:48
-	1	hub or (gate adj way)) or portal) ((first adj (proxy or gateway or hub or (gate adj way)) or portal)) adj5 (access\$3 or request\$3 or retriev\$3) adj5 (second or other or another or secondary or multiple or different or variety or many or number) adj3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/18 17:47
-	68	(habitat or portal or ((proxy or gateway or hub or (gate adj way)) or portal)) and @ad<20010412 (first adj (proxy or gateway or hub or (gate adj way)) or portal)) with (access\$3 or reguest\$3 or retriev\$3) adis (gagend or	USPAT; US-PGPUB;	2004/08/18 17:53
		request\$3 or retriev\$3) adj5 (second or other or another or secondary or multiple or different or variety or many or number) adj3 (habitat or portal or ((proxy or gateway or hub or (gate adj way)) or portal) and @ad<20010412	EPO; JPO; DERWENT; IBM_TDB	
-	17	((first adj (proxy or gateway or hub or (gate adj way)) or portal)) with (access\$3 or request\$3 or retriev\$3) adj5 (second or other or another or secondary or multiple or different or variety or many or number) adj3 (habitat or portal or ((proxy or gateway or hub or (gate adj way)) or portal) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:20
-	8729	(connection or communication\$3) adj4 (between adj4 gateways or proxies or habitat or hubs) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/18 18:21
-	3796	(connection or communication\$3) adj4 (between adj4 (gateways or proxies or habitat or hubs)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/18 18:22
	1444	(point-to-point adj3 connection or communication\$3) adj4 (between adj4 (gateways or proxies or habitat or hubs)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/18 18:23
-	42	(point-to-point adj3 (connection or communication\$3)) adj4 (between adj4 (gateways or proxies or habitat or hubs)) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/18 18:27
_	36	<pre>((connection or communication\$3)) adj4 (between adj4 (gateways or proxies or habitat or hubs)) with (retriev\$3 or request\$3 or access\$3) adj4 (information or data or content or document) and @ad<20010412</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 18:35
-	64	(plurality or (first with second)) adj2 (gateways or proxies or habitat or hubs) with (retriev\$3 or request\$3 or access\$3) adj4 (information or data or content or document) and @ad<20010412	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/18 18:37
-	100	(customiz\$7 or personal\$7) adj4 (portal adj page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/22 11:10

-	15	(customiz\$7 or personal\$7) adj4 (portal adj	USPAT;	2004/08/22 11:13
		(site\$1! or page\$1!)) near4 (shar\$3 or	US-PGPUB;	
		access\$3 or view\$3)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	7	(customiz\$7 or personal\$7) adj4 (portal adj	USPAT;	2004/08/22 12:04
		(site\$1! or page\$1!)) near4 (shar\$3 or	US-PGPUB;	
i .		access\$3 or view\$3) and @ad<20010412	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	((multiple or plurality or number or many or	USPAT;	2004/08/22 14:46
		different) adj3 (portal adj server)) and	US-PGPUB;	
		@ad<20010412	EPO; JPO;	
			DERWENT;	
			IBM TDB	